Table of Contents

1 Introduction 1-1
1.1 Purpose and Organization of this Manual 1-1
1.2 Summary of Recent Changes 1-3
1.2.1 California's Energy Crisis and Assembly Bill 970 1-3
1.2.2 Assembly Bill 970 Changes 1-4
1.3 Background 1-9
1.3.1 Legal Requirements – The Warren Alquist Act 1-9
1.3.2 Benefits of Energy Conservation 1-9
1.3.3 Which Standards Apply? Nonresidential vs. Residential 1-10
1.4 Introduction to the Residential Standards 1-12
1.4.1 Compliance Approaches 1-12
1.4.2 Mandatory Measures 1-12
1.4.3 Prescriptive Packages 1-12
1.4.4 Performance Methods 1-13
1.4.5 California Climate Zones 1-14
1.4.6 Compliance and Enforcement Phases of the Building Process 1-15
1.4.7 How to Comply with the Standards 1-16
1.4.8 Compliance Documentation 1-18
1.4.9 The Guide to California Home Comfort and Energy Savings 1-22
1.5 Code Decisions: Case Studies 1-24
1.6 Where To Get Help 1-27
1.6.1 Publications 1-27
1.6.2 Appliance Certification Information 1-27
1.6.3 Insulation Certification 1-28
1.6.4 Training Opportunities 1-28

2 Mandatory Measures 2-1
2.1 Introduction 2-1
2.2 Insulation 2-2
2.2.1 Certification of Insulating Material 2-3
2.2.2 Ceiling Insulation 2-4
2.2.3 Loose Fill Insulation 2-7
2.2.4 Wall Insulation 2-8
2.2.5 Raised Floor Insulation 2-12
2.2.6 Slab Edge Insulation 2-13
2.2.7 Insulation in Existing Buildings 2-15
2.3 Fenestration / Exterior Doors 2-16
2.4 Infiltration and Moisture Control 2-23
2.4.1 Joints and Other Openings 2-23
2.4.2 Vapor Barrier 2-24
2.4.3 Special Infiltration Barrier 2-25
2.4.4 Fireplaces, Decorative Gas Appliances and Gas Logs 2-25
2.5 Space Conditioning 2-28
2.5.1 Systems and Equipment Certification, Appliance Efficiency Regulations 2-28
2.5.2 Space Conditioning Sizing 2-30
2.5.3 Setback Thermostats 2-32
2.5.4 Heat Pump Controls 2-33
2.5.5 Insulation for Refrigerant Lines in Split System Air Conditioners 2-34
2.5.6 Ducts, Plenums, and Fans 2-34
2.5.7 Duct Installation Standards 2-38
2.5.8 Pilot Lights 2-42
2.6 Water Heating and Plumbing 2-42
2.6.1 Equipment Certification 2-43
2.6.2 Water Heater Tank Insulation 2-44

2.6.3 Pipe Insulation 2-45
2.6.4 Solar Water Heating 2-48
2.6.5 Pool and Spa Equipment 2-48
2.6.6 Pilot Lights Prohibited 2-50
2.7 Lighting 2-51
2.7.1 Kitchen Lighting 2-51
2.7.2 Bathroom Lighting 2-54
2.7.3 Recessed Lighting 2-55
2.8 Compliance Documentation 2-56

3 Prescriptive Packages 3-1
3.1 Introduction 3-1
3.2 Insulation 3-5
3.2.1 Ceiling Insulation 3-6
3.2.2 Framed Wall Insulation 3-7
3.2.3 Mass Wall Insulation 3-7
3.2.4 Raised Floor Insulation 3-8
3.2.5 Concrete Raised Floor Insulation and Below-Grade Walls 3-9
3.2.6 Slab Floor Perimeter Insulation 3-9
3.3 Glazing / Fenestration 3-10
3.3.1 Glazing / Fenestration U-factor 3-10
3.3.2 Maximum Glazing / Fenestration Area 3-11
3.3.3 Shading 3-11
3.4 Radiant Barriers 3-13
3.5 Thermal Mass (Package C Only) 3-16
3.5.1 Slab Floor Interior Mass 3-17
3.5.2 Raised Floor Interior Mass 3-17
3.6 Space Conditioning Systems 3-20
3.6.1 Gas Systems 3-20
3.6.2 Heat-Pump Systems 3-20
3.6.3 Electric Resistance Heating 3-20
3.6.4 Other Space-Heating Systems 3-21
3.6.5 Space Cooling System Type 3-21
3.6.6 Refrigerant Charge and Air Flow Measurement 3-21
3.6.7 Thermostatic Expansion Valves 3-21
3.6.8 Setback Thermostat 3-22
3.6.9 Ducts 3-22
3.6.10 Documentation and Compliance 3-22
3.7 Water-Heating Systems 3-23
3.8 Compliance Documentation 3-28

4 Compliance Through Quality Construction 4-1
4.1 Duct Efficiency 4-1
4.1.1 Overview 4-1
4.1.2 Duct Location 4-2
4.1.3 Ducts Inside Conditioned Space 4-3
4.1.4 Ducts in Attics with Radiant Barriers 4-3
4.1.5 Duct Insulation 4-3
4.1.6 Duct Surface Area 4-3
4.1.7 Duct Leakage 4-4
4.1.8 ACCA Manual D Design – Duct Layout and System Fan Flow 4-4
4.2 Infiltration & Ventilation 4-5
4.2.1 Overview 4-5
4.2.2 Indoor Air Quality 4-5
4.2.3 Optimal Building Envelope Leakage 4-6
4.2.4 Algorithms 4-6
4.2.5 Blower Door Testing 4-6

4.2.6 Mechanical Supply Ventilation Requirements for Unusually Tight Buildings 4-6
4.2.7 Mechanical Ventilation Requirements for Low Leakage Designs 4-7
4.2.8 Envelope Leakage Credit for Reduced Duct Leakage 4-7
4.2.9 Air Retarding Wrap Credit 4-7
4.2.10 Reduced Duct Leakage in Combination with Air Retarding Wrap 4-8
4.3 Refrigerant Charge and Air Flow Testing 4-8
4.3.1 Overview 4-8
4.3.2 Standard Charge and Airflow Measurement Procedure 4-9
4.3.3 Alternate Charge and Airflow Measurement Procedure 4-12
4.4 Diagnostics and Field Verification 4-12
4.4.1 California Home Energy Rating Systems 4-13
4.4.2 HERS Required Verification and Diagnostic Testing 4-14
4.4.3 Installation Certification 4-14
4.4.4 HERS Verification Procedures 4-15
4.4.5 Responsibilities and Documentation 4-19
4.5 Procedures for HVAC System Design and Installation 4-20

5 Computer Method 5-1
5.1 Introduction 5-1
5.2 Compliance with a Computer Method 5-3
5.2.1 Combined Energy Budget 5-3
5.2.2 Combined Energy Budget: Space Conditioning and Water Heating Energy Use 5-3
5.2.3 Compliance Demonstration 5-4
5.2.4 Additions 5-4
5.3 General Compliance Procedure 5-5
5.4 Proposed Design Modeling Procedure 5-6
5.4.1 Building Information 5-7
5.4.2 Walls, Doors, Roofs/Ceilings & Floors 5-8
5.4.3 Fenestration 5-12
5.4.4 Shading 5-13
5.4.5 Thermal Mass 5-15
5.4.6 Infiltration/Ventilation and Reduced Building Envelope Air Leakage 5-15
5.4.7 Internal Gain & Thermostat Setpoints 5-17
5.4.8 Space Conditioning System 5-17
5.4.9 Ducts 5-19
5.4.10 Water Heating 5-20
5.4.11 Unconditioned Space 5-20
5.4.12 Controlled Ventilation Crawl Space (CVC) 5-21
5.4.13 Zonal Control 5-22
5.4.14 Radiant Barrier 5-23
5.4.15 Solar and Wood Stove Boiler Water Heating 5-23
5.4.16 Combined Hydronic Space/Water Heating 5-23
5.4.17 Dedicated Hydronic Space Heating 5-23
5.4.18 Building Additions 5-24
5.4.19 Active Solar Space Heating 5-24
5.5 Computer Method Documentation 5-24
5.5.1 Standard Reports 5-24
5.5.2 Other Forms 5-25
5.6 Standard Design Assumptions 5-33

6 Water Heating Calculations 6-1
6.1 Introduction 6-1
6.1.1 Water Heating Calculation Method Compliance/ Plan Check 6-3
6.1.2 Additions that Increase the Total Number of Water Heaters 6-8
6.1.3 Water Heating Inspection 6-8
6.2 Basic Approach 6-9
6.3 Instructions, Forms & Tables 6-11

6.3.1 DHW-1, Water Heating Worksheet 6-11
6.3.2 DHW-2A, Water Heating for Single Family with Multiple Heaters 6-13
6.3.3 DHW-2B, Water Heating for Multi-Family 6-14
6.3.4 DHW-3, Large Storage Gas or Indirect Gas Worksheet 6-15
6.3.5 DHW-5, Combined Hydronic Space and Water Heating 6-16
6.4 Case Studies 6-27
6.5 Combined Hydronic Space and Water Heating 6-31
6.6 System Descriptions 6-31

7 Additions and Alterations 7-1
7.1 Compliance Approaches for Additions 7-1
7.1.1 Basic Approaches 7-3
7.1.2 Addition Alone, Prescriptive 7-5
7.1.3 Addition Alone, Performance 7-5
7.1.4 Existing Plus Addition, Performance Only 7-5
7.1.5 New Construction, Prescriptive or Performance 7-6
7.2 Prescriptive Requirements for Additions 7-6
7.2.1 Mandatory Measures 7-8
7.2.2 Envelope Measures 7-8
7.2.3 Space Conditioning Measures 7-9
7.2.4 Water Heating 7-15
7.3 Performance Requirements for Additions 7-16
7.3.1 Mandatory Measures 7-17
7.3.2 Addition Alone Procedure 7-17
7.3.3 Existing-Plus-Addition Procedure 7-17
7.3.4 Default Assumptions About the Existing Building 7-21
7.3.5 Water Heating Performance Compliance 7-22
7.4 Documentation for Additions 7-23
7.5 Alterations 7-24
7.5.1 Introduction 7-25
7.5.2 Prescriptive Requirements 7-25
7.5.3 Water Heating 7-28
7.5.4 Performance Requirements 7-29
7.5.5 Documentation Requirements 7-30
7.6 Repairs 7-31

8 Special Compliance Topics 8-1
8.1 Multi-Family Buildings 8-1
8.2 Mixed Occupancy Buildings 8-5
8.3 Subdivisions And Master Plans 8-5
8.3.1 Compliance Requirements 8-5
8.3.2 Individual Building Approach 8-6
8.3.3 Multiple Orientation Alternative: No Orientation Restrictions 8-6
8.4 Fenestration Products 8-7
8.4.1 Fenestration Categories 8-8
8.4.2 Energy Impact 8-8
8.4.3 Fenestration Terms 8-9
8.4.4 U-factor Certification 8-11
8.4.5 U-factor for Product Specification Compliance/ Plan Check 8-11
8.4.6 SHGC Certification 8-11
8.4.7 SHGC Specification Compliance/ Plan Check 8-12
8.4.8 Fenestration Products Construction 8-12
8.4.9 Bay Windows 8-13
8.5 Wood Space Heating 8-13
8.6 Controlled Ventilation Crawl Space (CVC) 8-15
8.7 Zonal Control 8-17
8.8 Hydronic/Combined Hydronic Space Heating 8-19

8.9 Evaporative Cooling 8-25
8.10 Geothermal (Ground Source) Heat Pump 8-26
8.11 Log Homes 8-26
8.12 Straw Bale Construction 8-27
8.13 Radiant Barriers 8-28

9 Index 9-1

List of Figures

Figure 1-1– California Climate Zones 1-15
Figure 2-1 – Summary of Mandatory Measures 2-2
Figure 2-2 – Ceiling Insulation Construction Detail 2-6
Figure 2-3 – Cathedral Ceiling 2-6
Figure 2-4 – Concrete Wall Insulation 2-9
Figure 2-5 – Wall Construction Detail 2-10
Figure 2-6 – Brick Wall Construction Details 2-11
Figure 2-7 – Raised Floor Insulation 2-13
Figure 2-8 – Slab Edge Insulation 2-14
Figure 2-9 – Temporary Label 2-20
Figure 2-10 – Caulking and Weather Stripping 2-24
Figure 2-11 – Fireplace Installation 2-27
Figure 2-12 – Duct Installation (Right) 2-39
Figure 2-13 – Duct Installation (Wrong) 2-39
Figure 2-14 A – Connections for Nonmetallic Air Ducts and Air Connectors 2-40
Figure 2-14 B – Connections for Nonmetallic Air Ducts and Air Connectors 2-40
Figure 2-14 C – Connections for Nonmetallic Air Ducts and Air Connectors 2-40
Figure 2-15 A – Splices for Nonmetallic Air Ducts and Air Connectors 2-40
Figure 2-15 B – Splices for Nonmetallic Air Ducts and Air Connectors 2-41
Figure 2-15 C – Splices for Nonmetallic Air Ducts and Air Connectors 2-41
Figure 2-16 – Flexible Duct Support 2-42
Figure 2-17 – Hanger or Saddle Material 2-42
Figure 2-18 – Meeting Pipe Insulation Requirements for Storage Tank Water Heaters 2-46
Figure 3-1 – California Climate Zones 3-3
Figure 3-2 – Methods of Installation for Radiant Barriers 3-14
Figure 3-3 – Thermostatic Expansion Valve 3-22
Figure 4-1– Benefit of Thermostatic Expansion Valve 4-9
Figure 4-2– Measurement Locations for Refrigerant Charge and Airflow Tests 4-10
Figure 4-3 – Simplified Flowchart of the Sampling Process for Diagnostic Testing by a HERS Rater 4-16
Figure 5-1 – Example Energy Use Summary on C-2R (Page 1) 5-4
Figure 5-2 – Determining Front Orientation 5-8
Figure 5-3 – Controlled Ventilation Crawl Space 5-21
Figure 5-4 – Zonal Control Modeling Assumptions 5-23
Figure 5-5 – Sample CF-1R and CF2-R Forms 5-26
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-27
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-28
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-29
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-30
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-31
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-32
Figure 5-5 – Sample CF-1R and CF2-R Forms (continued) 5-33
Figure 6-1 – Largest Residential Energy End 6-2
Figure 6-2 – Water Heater System Energy Flow Diagram 6-2
Figure 6-3 – Wood Stove Boiler 6-34
Figure 6-4 – Point of Use 6-36
Figure 7-1 – Addition Alone Compliance Approach 7-5
Figure 7-2 – Existing House Plus Addition Compliance Approach 7-6
Figure 8-1 – Multi-Family Building Compliance Option 8-3
Figure 8-2 – Subdivisions and Master Plans Compliance Option 8-7
Figure 8-3 – Controlled Ventilation Crawl Space 8-16
Figure 8-4 – Zonal Control Example 8-18
Figure 8-5 – Hydronic Heating Heat Distribution Devices 8-21
Figure 8-6 – Space and Water Heating Capability 8-21

List of Tables

Table 1-1 – Icons Used in Document 1-3
Table 1-2 – Summary of Changes to Package D 1-5
Table 1-3 – Alternative to Package D (Alternative to Duct Sealing and TXV Requirements) 1-7
Table 1-4 – Building Types Covered by the Low-Rise Residential and Nonresidential Standards 1-11
Table 2-1 – Installed R-Values for Mineral Fiber Batt Insulation[1] 2-3
Table 2-2 – Default Fenestration Product U-factors (From Table 1-D of §116 of the Standards) 2-18
Table 2-3 – Default Solar Heat Gain Coefficients (From Table 1-E of §116 of the Standards) 2-18
Table 2-4 – Methods for Determining U-factors 2-20
Table 2-5 – Methods for Determining Solar Heat Gain Coefficients 2-20
Table 2-6 – Pipe Insulation Requirements Minimum R-value – Table 1-T from §150(j)2 2-45
Table 2-7 – Typical Efficacy of Electric Lighting Sources 2-53
Table 3-1 – Summary of Package D Requirements 3-2
Table 3-2 – Summary of Alternative to Package D Requirements 3-3
Table 3-3 – Summary of Package C Requirements 3-4
Table 3-4 – Notes To The Low-Rise Residential Packages 3-5
Table 3-5 – Ceiling Assembly U-factors, Wood Frame 3-7
Table 3-6 – Wall Assembly U-factors, Wood Frame 3-7
Table 3-7 – Steel Frame Wall U-factors 3-7
Table 3-8 – Thermal Mass Properties 3-8
Table 3-9 – Floor Assembly U-factors, Wood Frame 3-9
Table 3-10 – Allowed Solar Heat Gain Coefficients Used for Form S 3-12
Table 3-11 – Interior Mass Capacity Requirements for Package C 3-16
Table 3-12 – Interior Mass UIMC Values: Interior Mass[9] - Surfaces Exposed on One Side[10] 3-18
Table 3-13 – Interior Mass UIMC Values: Interior Mass[9] - Surfaces Exposed on Two Sides[5, 10] 3-19
Table 3-14 – Complying Water Heating Systems[1] – One Water Heater - No Auxiliary Credits 3-24
Table 3-15 – Complying Water Heating Systems[1] – One Water Heater - Solar Credits[5] 3-25
Table 3-16 – Complying Water Heating Systems[1] – Two Water Heaters – No Auxiliary Credits 3-26
Table 3-17 – Complying Water Heating Systems[1] – Two Water Heaters – Solar Credits[5] 3-27
Table 3-18 – Reference Notes for Complying Water Heating Systems[1] 3-27
Table 4-1 – Structure of Target Superheat Temperature Table 4-11
Table 4-2 – Structure of Target Temperature Split (Return Dry-Bulb minus Supply Dry-Bulb) Table 4-11
Table 5-1 – General Reference Categories for Input/Output Descriptions 5-7
Table 5-2A – Standard U-factors of Wood Frame Roofs/Ceilings and Walls[1] 5-10
Table 5-2B – Standard U-factors of Wood Frame Raised Floors[1] 5-11
Table 5-2C – Standard U-factors of Wood Foam Panel Roofs/Ceilings and Walls[1] 5-11
Table 5-2D – Standard U-factors of Steel Frame Walls[1] 5-12
Table 5-3 – Descriptors for Exterior Shading Devices 5-14
Table 5-4 – Heating System Standard Design Map 5-18
Table 5-5 – Cooling System Standard Design Map 5-19
Table 5-6 – Crawl Space Soil Slab Heat Loss Rate (F2) Factor 5-21
Table 6-1A – Summary of System Components: Water Heaters 6-4
Table 6-1B – System Component Descriptions: Auxiliary Inputs 6-4
Table 6-1C – System Component Descriptions: Distribution Systems 6-6
Table 6-2 – When Are Water Heating Forms Required? 6-6
Table 6-3 – Summary of Water Heating Forms 6-10
Table 6-4 – Summary of Compliance Scenarios 6-10
Table 6-5 – Standard Recovery Load and Standard Energy Use 6-18
Table 6-6 – Distribution System Credit/Penalty[1] for Single Family Dwellings (per worksheet) 6-19
Table 6-7 – Distribution System Credit/Penalty[1] for Multi Family Dwellings (per worksheet) 6-20
Table 6-8A – Basic Energy Use (BEU)* - Storage Gas Heater [no interpolation] 6-21
Table 6-8B – Basic Energy Use (BEU)* - Storage Electric Heater [no interpolation] 6-22
Table 6-8C – Basic Energy Use (BEU)* - Storage Heat Pump Heater [no interpolation] 6-23
Table 6-8D – Basic Energy Use (BEU) - Instantaneous Gas or Electric Heaters [no interpolation] 6-24
Table 6-8E – Jacket Loss (Indirect Gas) 6-25
Table 6-9 – Solar Fractions Table 6-26

Table 6-10 – Wood Stove Boiler Credit Factors 6-27
Table 6-11 – Climate Zone Factors 6-27
Table 7-1– Comparison of Compliance Methods for Additions 7-4
Table 7-2 – Prescriptive Requirements for Additions 7-7
Table 7-3 – Double Glazed Skylight and Greenhouse Window U-factors for use in Compliance 7-9
Table 7-4 – Target Percent Leakage for Air Distribution Ducts Serving Existing-Plus-Addition Duct Systems 7-13
Table 7-5 – New Water Heaters Permitted in Additions – Addition Alone Compliance Method 7-16
Table 7-6 – Default Assumptions for Existing Buildings 7-22
Table 8-1 – Slab Insulation Requirements for Heated Slabs 8-23
Table 8-2 – Minimum Air Movement Requirements for Evaporative Coolers Minimum Air Movement[1] 8-26

List of Examples

Example 1-1 – Historical Buildings 1-11
Example 1-2 – Mobile Homes 1-11
Example 1-3 – Form CF-6R 1-17
Example 1-4 – Plan Checking/ Field Inspection Requirements 1-21
Example 1-5 – Administrative Regulations 1-23
Example 1-6 – Code Decisions Scenarios 1-24
Example 2-1 – Application of Mandatory Insulation Levels 2-7
Example 2-2 – Wall Insulation Scenarios 2-12
Example 2-3 – Mandatory Measures Applied to Fenestration 2-20
Example 2-4 – Decorative Gas Appliances 2-27
Example 2-5 – Setback Thermostat Requirement 2-33
Example 2-6 – Water Heater Pipe Insulation 2-46
Example 2-7 – Continuously Burning Pilot Light 2-50
Example 2-8 – Energy-efficient Kitchen Lighting, General 2-53
Example 2-9 – Non-IC Rated Incandescent Fixtures 2-56
Example 4-1 – HERS Rater Conflict of Interest 4-13
Example 6-1 – Single Family, Gas Water Heater 6-27
Example 6-2 – Single Family, Heat Pump Water Heater 6-27
Example 6-3 – Single Family, Two Gas Storage Tank Water Heaters 6-28
Example 6-4 – Single Family, Three Gas Storage Tank Water Heaters 6-28
Example 6-5 – Multi-family, Separate Gas Water Heaters for each Unit 6-28
Example 6-6 – Multi-family, Temperature Controlled Recirculation System 6-28
Example 6-7 – Single Family Addition, Replacing Existing Water Heating System 6-28
Example 6-8 – Single Family Existing, New Instantaneous Gas Water Heater 6-29
Example 6-9 – Single Family, Non-recirculating Gas Water Heater 6-29
Example 6-10 – Single Family, Existing+Addition, Electric Water Heater 6-29
Example 6-11 – Single Family, Replacement Gas Water Heater 6-29
Example 6-12 – Residential Building, Gas to Electric Water Heater 6-29
Example 7-1 – Prescriptive Requirements – Additions Less than 100 ft^2 7-8
Example 7-2 – Reuse of Windows 7-8
Example 7-3 – Accounting for Greenhouse Windows 7-9
Example 7-4 – Radiant Barriers in Additions 7-9
Example 7-5 – Existing Electric Resistance Heaters 7-11
Example 7-6 – Refrigerant Charge and Airflow or TXV in Additions 7-11
Example 7-7 – Duct Sealing in Additions – Extending a Duct from an Existing System 7-14
Example 7-8 – Refrigerant Charge and Airflow or TXV in Additions 7-17
Example 7-9 – Existing-Plus-Addition Analysis Using an Approved Computer Method 7-19
Example 7-10 – Refrigerant Charge and Airflow or TXV in Additions 7-19
Example 7-11 – Duct Sealing in Additions – Compliance Credit for Sealing Existing Ducts 7-20
Example 7-12 – Radiant Barriers in Additions 7-20
Example 7-13 – Moving Existing Windows 7-26
Example 7-14 – Alteration with New Windows 7-26
Example 7-15 – Replacing windows 7-26
Example 7-16 – Adding a greenhouse window to an existing building 7-26
Example 7-17 – Alteration of Existing Duct System 7-27
Example 7-18 – New Air Handler and Plenum Platform 7-27
Example 7-19 – Replacing HVAC System 7-28
Example 7-20 – Replacing Water Heaters 7-29
Example 7-21 – Modeling Existing-plus-Alteration 7-29
Example 7-22 – Buildings Damaged by Natural Disasters 7-31
Example 8-1 – Multi-Family Building Compliance, Examples 8-3
Example 8-2 – Multi-Family Building Duct Testing 8-4
Example 8-3 – Multiple Orientations 8-7
Example 8-4 – Pellet Stoves 8-15

Example 8-5 – Wall Installed Wood Stove 8-15
Example 8-6 – Laundry Room and Bathroom Zoning 8-19
Example 8-7 – Zonal Control Credit 8-19
Example 8-8 – Dedicated Hydronic-heating System 8-24
Example 8-9 – Slab edge Insulation Requirements 8-24